

-	227	((access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5) near4 local\$4) and (load\$5 or download\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or device or local\$5 or storage or CD or drive) near4 local\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 18:46
-	157	((access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5) near4 local\$4) and (load\$5 or download\$5) near3 (application or porgram or software or servlet or execut\$6) near5 (workstation or client or device or local\$5 or storage or CD or drive or flop\$3) near3 local\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 02:05
-	19	(709/201-203.ccls. and (execut\$6 or map\$5 or resolv\$5 or nam\$3) near7 (client or local\$5 or servic\$5 or process\$3) with (local\$5 or cach\$5 or request\$5 or access\$5 or application or logic)) and (((access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5) near4 local\$4) and (load\$5 or download\$5) near3 (application or porgram or software or servlet or execut\$6) near5 (workstation or client or device or local\$5 or storage or CD or drive or flop\$3) near3 local\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 02:15
-	3	((709/201-203.ccls. and (execut\$6 or map\$5 or resolv\$5 or nam\$3) near7 (client or local\$5 or servic\$5 or process\$3) with (local\$5 or cach\$5 or request\$5 or access\$5 or application or logic)) and (((access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5) near4 local\$4) and (load\$5 or download\$5) near3 (application or porgram or software or servlet or execut\$6) near5 (workstation or client or device or local\$5 or storage or CD or drive or flop\$3) near3 local\$3)) and intercept\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 02:15
-	9130	(709/201-203.ccls. or 709/217-219.ccls. )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 12:51

	79	<p>((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) and intercept\$5 near5 request\$4</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2003/12/31 22:19</p>
-	178	<p>((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) and intercept\$5</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/01/01 18:43</p>
-	154	<p>((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) and intercept\$5 with (workstation or client or user or device or computer or cach\$5 or local\$5 or server or prox\$5 or intermediat\$3 or origin\$3 or internal or web or program or application or handl\$3 or software or portion)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2003/12/31 22:23</p>

	114	<p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) and intercept\$5 near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or server or prox\$5 or intermediat\$3 or origin\$3 or internal or web or program or application or handl\$3 or software or portion)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 22:23
	151	<p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) and intercept\$5 with (workstation or client or user or device or computer or cach\$5 or local\$5 or server or prox\$5 or intermediat\$3 or origin\$3 or internal or web or program or application or handl\$3 or software or portion)) and (rout\$3 or redirect\$5 or point or map\$5 or resolv\$ or pass\$5 or prox\$4 or transform\$3 or modif\$5) near5 ( request\$5 or http or url or access\$5 or send\$3 or transmi\$6 or available or locat\$3 or unavailable or "not present" or external or internal or workstation or local\$5 or cach\$5 or client or user or computer or device)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 22:27

	151	<p>((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) and intercept\$5 with (workstation or client or user or device or computer or cach\$5 or local\$5 or server or prox\$5 or intermediat\$3 or origin\$3 or internal or web or program or application or handl\$3 or software or portion)) and (rout\$3 or redirect\$5 or point or map\$5 or resolv\$ or pass\$5 or prox\$4 or transform\$3 or modif\$5) near5 ( request\$5 or http or url or access\$5 or send\$3 or transmi\$6 or available or locat\$3 or unavailable or "not present" or external or internal or workstation or local\$5 or cach\$5 or client or user or computer or device)) and (execut\$5 or run\$5 or install\$5 or servic\$5 or process\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near3 (workstation or client or user or device or computer or cach\$5 or local\$5)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 22:37
--	-----	---	---	---------------------

-	7907	((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 22:15
-	4507	((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) and (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 12:52
-	1543	((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 22:22
-	69	((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) and intercept\$5 near3 request\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 22:18

-	28	<p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) ) and (access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or view\$3) near3 (application or porgram or software or code or servlet or execut\$6 or portion or information or data or web or page or content) near5 (cach\$5 or copy or mobile or offline or off?line)) and (resolv\$5 or access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or view\$3 or map\$5) near5 (resolv\$5 or map\$5 or point\$3 or redirect\$5 or modif\$5 or url) near5 (path or resolv\$5 information or http or url or direct\$5) with ( web or page or content or http) with (url or local\$5 or memory or direct\$5 or path or client or user or computer or workstation or remot\$5 or web or http)) and (resolv\$5 or access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or view\$3 or map\$5) near5 (resolv\$5 or map\$5 or point\$3 or redirect\$5 or modif\$5 or url) near5 (path or resolv\$5 information or http or url or direct\$5) near5 ( web or page or content or http) near5 (url or local\$5 or memory or direct\$5 or path or client or user or computer or workstation or remot\$5 or web or http)) and (access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or map\$5) near5 (resolv\$5 or map\$5 or point\$3 or redirect\$5 or modif\$5 or url) near5 (path or resolv\$5 information or http or url or direct\$5 or client or cach\$5) near5 ( web or page or content or http or url or path or mount\$5 or cach\$5 or client) near5 (local\$5 or memory or drive or hard or direct\$5 or cach\$5) ) and (execut\$6 or map\$5 or resolv\$5 or nam\$3) near7 (client or local\$5) with (local\$5 or cach\$5 or request\$5 or access\$5 or application or logic)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 00:31
---	----	--	---	---------------------

-	31	<p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) ) and (access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or view\$3) near3 (application or porgram or software or code or servlet or execut\$6 or portion or information or data or web or page or content) near5 (cach\$5 or copy or mobile or offline or off?line)) and (resolv\$5 or access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or view\$3 or map\$5) near5 (resolv\$5 or map\$5 or point\$3 or redirect\$5 or modif\$5 or url) near5 (path or resolv\$5 information or http or url or direct\$5) with ( web or page or content or http) with (url or local\$5 or memory or direct\$5 or path or client or user or computer or workstation or remot\$5 or web or http)) and (resolv\$5 or access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or view\$3 or map\$5) near5 (resolv\$5 or map\$5 or point\$3 or redirect\$5 or modif\$5 or url) near5 (path or resolv\$5 information or http or url or direct\$5) near5 ( web or page or content or http) near5 (url or local\$5 or memory or direct\$5 or path or client or user or computer or workstation or remot\$5 or web or http)) and (access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or map\$5) near5 (resolv\$5 or map\$5 or point\$3 or redirect\$5 or modif\$5 or url) near5 (path or resolv\$5 information or http or url or direct\$5 or client or cach\$5) near5 ( web or page or content or http or url or path or mount\$5 or cach\$5 or client) near5 (local\$5 or memory or drive or hard or direct\$5 or cach\$5) ) and (execut\$6 or map\$5 or resolv\$5 or nam\$3) near7 (client or local\$5 or servic\$5 or process\$3) with (local\$5 or cach\$5 or request\$5 or access\$5 or application or logic)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/01/02 01:02</p>
-	2922	<p>709/201-203.ccls. and (execut\$6 or map\$5 or resolv\$5 or nam\$3) near7 (client or local\$5 or servic\$5 or process\$3) with (local\$5 or cach\$5 or request\$5 or access\$5 or application or logic)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/01/02 12:50</p>

-	14	709/201-203.ccls. and (((((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))) same (execut\$5 or run\$5 or install\$5 or servic\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion) near5 (workstation or client or user or device or computer or cach\$5 or local\$5)) ) and (access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or view\$3) near3 (application or porgram or software or code or servlet or execut\$6 or portion or information or data or web or page or content) near5 (cach\$5 or copy or mobile or offline or off?line)) and (resolv\$5 or access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or view\$3 or map\$5) near5 (resolv\$5 or map\$5 or point\$3 or redirect\$5 or modif\$5 or url) near5 (path or resolv\$5 information or http or url or direct\$5) with ( web or page or content or http) with (url or local\$5 or memory or direct\$5 or path or client or user or computer or workstation or remot\$5 or web or http)) and (resolv\$5 or access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or view\$3 or map\$5) near5 (resolv\$5 or map\$5 or point\$3 or redirect\$5 or modif\$5 or url) near5 (path or resolv\$5 information or http or url or direct\$5) near5 ( web or page or content or http) near5 (url or local\$5 or memory or direct\$5 or path or client or user or computer or workstation or remot\$5 or web or http)) and (access\$5 or receiv\$5 or request\$5 or retriev\$5 or obtain\$5 or map\$5) near5 (resolv\$5 or map\$5 or point\$3 or redirect\$5 or modif\$5 or url) near5 (path or resolv\$5 information or http or url or direct\$5 or client or cach\$5) near5 ( web or page or content or http or url or path or mount\$5 or cach\$5 or client) near5 (local\$5 or memory or drive or hard or direct\$5 or cach\$5) ) and (execut\$6 or map\$5 or resolv\$5 or nam\$3) near7 (client or local\$5 or servic\$5 or process\$3) with (local\$5 or cach\$5 or request\$5 or access\$5 or application or logic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/02 01:12
---	----	---	---	---------------------



-	2	<p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) same (download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6) near5 portion near5 (local\$3 or cach\$5 or server or origin\$5 or remot\$5) near5 stor\$5) and (request\$5 or access\$5 or download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5 or application or program or data) with transaction) and (send\$3 or transmi\$6 or submi\$5 ) with request\$3 near4 (application or title or portion or transaction or data or information)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 00:01
-	2	<p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) same (download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6) near5 portion near5 (local\$3 or cach\$5 or server or origin\$5 or remot\$5) near5 stor\$5) and (request\$5 or access\$5 or download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5 or application or program or data) with transaction) and (send\$3 or transmi\$6 or submi\$5 or brows\$5 or receiv\$5 or download\$5) with (brows\$3 or access\$5 or receiv\$4 or rtereiv\$5 or request\$3) near5 (application or title or portion or transaction or data or information)</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 00:03

-	52	((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:16
-	42	((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (component or internal or device or module or handl\$5 or program or application or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:11
-	45	((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:19

-	37	(((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (component or internal or device or module or handl\$5 or program or application or code)) and (((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:10
-	19	(((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:11
-	21	(((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (cach\$5 or prox\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:11

-	20	((((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5 or load\$5) near3 (application or program or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or program or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (component or internal or device or module or handl\$5 or program or application or code)) and (((((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5 or load\$5) near3 (application or program or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or program or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data))) and (((((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5 or load\$5) near3 (application or program or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or program or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 with (cach\$5 or prox\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:12
---	----	---	---	---------------------

-	22	<p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (component or internal or device or module or handl\$5 or program or application or code)) not</p> <p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (component or internal or device or module or handl\$5 or program or application or code)) and (((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data))) and (((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) same intercept\$5) and intercept\$5 with (cach\$5 or prox\$3)))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/04 00:02
---	----	---	---	---------------------

-	8302	((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5 or load\$5) near3 (application or program or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or program or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:17
-	256	((((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5 or load\$5) near3 (application or program or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or program or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:22
-	2	(((((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5 or load\$5) near3 (application or program or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or program or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receive\$5 or retrieve\$5) near3 (logic or application or program or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 near5 internal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/03 22:19

-	85	<p>((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/01/03 22:24</p>
-	69	<p>((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)) and intercept\$5 near5 (redirect\$5 or rout\$3 or rerout\$5 or pass\$5)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/01/03 22:25</p>

-	29	<p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)) and intercept\$5 near5 (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) ) and cach\$5 near5 (application or program or code or servlet or execut\$5 or software)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/01/03 22:25</p>
-	55	<p>(((((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5 or load\$5) near3 (application or porgram or software or code or servlet or execut\$6 or portion or ((mobile or portable) near2 (application or porgram or software or code or servlet or execut\$6 or portion))) near5 (workstation or client or user or device or computer or cach\$5 or local\$5 or storage)) ) same ((download\$ or transfer\$5 or obtain\$5 or receiv\$5 or retriev\$5) near3 (logic or application or porgram or software or code or servlet or execut\$6 or portion) near5 (server or origin\$5 or remot\$5 or prox\$5)) ) and intercept\$5 near5 (request\$5 or access\$5 or download\$5 or transfer\$5 or data or application or program) with (component or internal or device or module or handl\$5 or program or application or code)) and intercept\$5 with (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) with (reques\$5 or access\$5 or receiv\$5 or download\$5 or transfer\$5 or application)) and intercept\$5 near5 (redirect\$5 or rout\$3 or rerout\$5 or pass\$5) ) and execut\$5 near5 (application or program or code or servlet or execut\$5 or software)</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/01/03 22:26</p>





-	2	("20020138640").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/01/04 00:02
---	---	---------------------	---	---------------------